

IMEN MOOJ[®]

Provide visual advertising equipment and Lighting solutions

Address:

Unit5,.No.299,Before to Mirzaye Shirazi St.,

Motahari Ave., Tehran-Iran

Tel & Fax : +98 21 88 92 12 00

Email Add: info@imenmooj.com




CTN

WWW.IMENMOOJ.COM

General flat-panel TV features

Bear in mind that you probably want your new flat-panel TV to last for years, so think of future needs as well as present ones. You may not be setting up a home theater right now, for example, but it could be a consideration in the not-too distant future. Also, as television and Web continue to converge, you're likely to want that capacity in the future. Likewise the capacity for 3-D -- it might not seem essential now, but within a few years it could be something that you wish you'd considered.






Property Of Flat LED Display

Contrast ratio -- the ratio of the luminance of the brightest white to the darkest black that the display is capable of. A higher contrast ratio means a sharper picture. A ratio of 500:1 is the bare minimum -- the higher the better.

Resolution - the number of pixels (individual points of color) on a display. Resolution is expressed in terms of the number of pixels on the horizontal axis and the number on the vertical axis. A larger display needs a higher resolution. A resolution that looks fine on a smaller display is not as sharp on a larger one because the same number of pixels are being spread out over a larger area. At a minimum, HDTVs support 1280x720 resolution; most support 1366x768. Some newer HDTV-compatible displays support 1920x1080 pixels.



INDOOR LED DISPLAY SPECIFICATION

Item	JC-ISF-PH1.667	JC-ISF-PH2	JC-ISF-PH2.5	JC-ISF-PH3	JC-ISF-PH4	JC-ISF-PH5	JC-ISF-PH6
Pixel Pitch	1.667mm	2mm	2.5mm	3mm	4mm	5mm	6mm
Module Size	200x150mm	128x128mm	160x80mm	192x96mm	256x128mm	320x160mm	192x192mm
LED Type	SMD1010	SMD1010	SMD2121	SMD2121	SMD2121	SMD2121	SMD3528
Brightness	1200 Nit	1200 Nit	1800 Nit	1500 Nit	1200 Nit	1500 Nit	1000 Nit
Drive Mode	1/30	1/32	1/16	1/16	1/16	1/16	1/16
IP Rate	IP31	IP31	IP31	IP31	IP31	IP31	IP31
Ave Power	330W/m2	330W/m2	482W/m2	362W/m2	305W/m2	259W/m2	300W/m2
Refresh Rate	> 2400Hz	> 2400Hz	> 1920Hz	> 1920Hz	> 1920Hz	> 1920Hz	> 1920Hz
LED Cabinet	400x300mm	512x512mm	640x640mm	576x576mm	512x512mm	640x640mm	576x576mm
Weight	4.8KG	4.8KG	6.2KG	5.8KG	5.5KG	6.0KG	5.5KG



Competitive Advantage

- **Ultra-light weight** : only 5.6KG each LED cabinet, 60mm thickness, saving cost
- **Seamless Design** : Fast locks on left & right LED cabinets, top & bottom LED cabinet
- **Easy maintenance** : Any LED module can be easily dismantled and independent connected
- **Super High Definition** : High refresh rate and high contrast , auto brightness controlling
- **Widest View Angle** : Horizontal reaches over 160 degree while vertical is up 140 degree
- **Noiseless** : Aluminum LED cabinet best heat sinking technology no fans then without noise

